

Material Safety Data Sheet

Section 1 - Chemical Product And Company Identification

Sample Name: ZEOLITE MOLECULAR SIEVE TYPE 13X POWDER

Company: E.D.S. International (Thailand) Co., Ltd.

Address: 119/134 Moo 6, Soi Sinthani, Nawamin 101 Rd., Klongkum, Buengkum, Bangkok 10240 Thailand

Tel: +662 5095928 to 29

Fax: +662- 5095930

Section 2 - Composition Information on Ingredients

Chemical Name	Percent (by weight)	CAS No.
Silicon Oxide (Synthetic)	45%	7631-86-9
Sodium Oxide	28%	1313-59-3
Aluminum Oxide	25%	1344-28-1
Magnesium Oxide	2%	1309-48-4

Section 3 - Hazards Identification

EMERGENCY OVERVIEW

Non-flammable. Safe under normal use. If contacted with grinding dust, may cause eyes and skin irritation. If inhaled grinding dust, may cause upper respiratory system irritation.

Target organs: Eye, skin and respiratory system.

Hazards sorts: Not available.

Potential Health Effects:

- Eye: If contacted with grinding dust, may cause eyes irritation.
- Skin: If contacted with grinding dust, may dry skin.
- Ingestion: Product is not intended to be ingested or eaten under normal conditions



for use. If ingested, it may cause temporary irritation to the gastrointestinal (GI) tract, especially the stomach.

• Inhalation: May cause respiratory tract irritation if inhaled grinding dust. Repeated or prolonged exposure may cause lung injury.

Section 4 - First Aid Measures

Eyes: Immediately flush eyes with plenty of water for at least 15 minutes.

Skin: Wash exposed skin with soap and water. If irritation develops, seek medical attention.

- Ingestion: If the material is swallowed, get immediate medical attention or advice. Never give anything by mouth to an unconscious person. If conscious and alert, give several glasses of water or milk.
- Inhalation: Remove from expose and move to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid if necessary.

Section 5 – Fire	Fighting Measures
------------------	-------------------

General Information:	The material is not flammable. As in any fire, wear a	
	self-contained breathing apparatus in pressure-demand and full	
	protective gear.	
Extinguishing Media:	Use agent most appropriate to extinguish surrounding fire. Use	

Extinguishing Media: Use agent most appropriate to extinguish surrounding fire. Use CO₂, sand, extinguishing powder.

Section 6 – Accidental Release Measures

General Information: Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Ventilate area of leak or spill. Collect material then place in suitable container. Recycle if possible. Avoid generating dust.

Section 7 – Handling and Storage

Storage: Keep in a tightly closed container. Store in a cool, dry, ventilated area.Handling: Protect against physical damage. Avoid contacting with eyes. Wash hands thoroughly after handling.



Section 8 – Exposure Controls, Personal Protection

Exposure Limit:

CAS# 1344-28-1

- PEL-TWA 15mg/m³ (OSHA, total) 5mg/m³ (OSHA, resp)
- CAS# 7631-86-9
- PEL-TWA 15mg/m³ (OSHA, total) 5mg/m³ (OSHA, resp) 5mg/m³ (OSHA, fume)
 TLV-TWA 6mg/m³ (ACGIH)

Monitoring Methods: No information found.

Engineering Controls: Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits. Equipped with safety shower and eyes bath.

Personal Protective Equipment:

- Eyes: Wear appropriate protective eyeglasses or chemical safety goggles.
- Skin: Wear appropriate protective gloves to prevent skin exposure.
- Clothing: Working clothing is suggested.
- Respirators: It is suggested to use an appropriate respirator if dust in the air or if irritation or other symptoms are experienced.

Section 9 – Physical and Chemical Properties		
Form:	Powder	
Color:	White	
Odor:	None	
pH:	8~11 (AS)	
Boiling Point/range:	N/A	
Melting Point/range:	N/A	
Decomposition Temperature:	N/A	
Density:	0.4~0.8 g/mL	
Ignition Temperature:	N/A	
Solubility:	Soluble in acid or soda, insoluble in water	

Section 10 – Stability and Reactivity

Chemical Stability: Stable under normal condition.

Conditions to Avoid: The addition of the moisture (water) without flooding can cause rise in temperature from heat of adsorption, and contact with skin might result in burns.

Incompatibilities materials: Sudden contact with high concentrations of chemicals

119/134 Moo 6, Soi Sinthani, Nawamin 101 Rd., Klongkum, Buengkum, Bangkok 10240 Thailand Tel: 662-5095928 - 29 Fax: 662-5095930



having high heats of adsorption such as olefins, HCl, etc. Hazardous Decomposition Products: Na/A Hazardous polymerization: Will not occur.

Section 11 – Toxicological Information

Toxicological Information: CAS# 1344-28-1 • LD50: >5000 mg/Kg (oral, rat) CAS# 7631-86-9 • LD50: >5510 mg/Kg (oral, rat) • LD50: >5000 mg/Kg (dermal, rabbit) Carcinogenicity: Not listed by ACGIH, IARC, NTP, or CA Prop 65. Sensitization Rate: Not available. Teratogenicity: Not available.

Section 12 – Ecological Information

Ecological Toxicity:	Not available.
Ecological Degradation:	Not available.
Abiology Degradation:	Not available.
Aquatic Toxicity:	Not available.

Section 13 – Disposal Considerations

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

Section 14 – Transport Information		
Not regulated as a hazardous material for transportation. (D.O.T; TDG; IMDG; IATA;		
DGR)		
UN:	N/A	
Classification:	N/A	
Packaging Sign:	N/A	
Shipping Name:	N/A	
Packaging Category:	N/A	
Packaging Method:	N/A	

119/134 Moo 6, Soi Sinthani, Nawamin 101 Rd., Klongkum, Buengkum, Bangkok 10240 Thailand



Shipping Notice: N/A

Section 15 – Regulatory Information		
Regulatory Information:	Reference to the local, national and EU / international regulations.	
TSCA:	All compounds are listed.	
DSL:	All compounds are listed.	
OSHA:	No compounds are listed.	
California Prop 65:	No compounds are listed.	
Hazard Symbols: Safety Description:	N/A	
	S22: Do not breathe dust	
	S25: Avoid contact with eyes	
Risk Codes:	N/A	

Section 16 – Additional Information

Issue Time: 2018-2-1 Issue Department: Technical Department Date review unit: Modification record:

Other Information:

Regional representation: This information is given on the authorized Material Safety Data Sheet for your country.